Author index

AAGAARD, P., SIMONSEN, E.B., TROLLE, M., BANGSBO, J. & KLAUSEN, K. Isokinetic hamstring/quadriceps strength ratio: influence from joint angular velocity, gravity correction and contraction mode, 421

ABRAHAMSSON, H. see MELLANDER, A. ADAMOPOULOS, S. see BRUNOTTE, F.

ÅDEN, U. see TÖRKVIST, L.

AERØ, C.E. see WIIK, P.

ÅKERLUND, S. see HARALDSSON, G.

AKSNES, G. see OFFSTAD, J.

Ansved, T. Effects of immobilization on the rat soleus muscle in relation to age, 291

Areskog, N.-H. see Savard, G.K. Arfors, K.-E. see Hansell, P.

ARJAMAA, O., TASKINEN, T., KANERVO, A., VUOL-TEENAHO, O. & LEPPÁLUOTO, J. Atrial natriuretic peptide and its mRNA in heart and brain of

vasopressin-deficient Brattleboro rats, 35 ARNER, A. see MORANO, I.

Assarsson, B., NILSSON, I. & SELSTAM, G. Ovarian levels of epidermal growth factor receptor mRNA in the rat – a postovulatory decrease, 177

Balsom, P.D., Söderlund, K., Sjödin, B. & Ekblom, B. Skeletal muscle metabolism during short duration high-intensity exercise: influence of creatine supplementation, 303

BANGSBO, J. see AAGAARD, P.

Bergdahl, A., Valdemarsson, S., Pantev, E., Ottosson, A., Feng, Q.-P., Sun, X.-Y., Hedner, T. & Edvinsson, L. Modulation of vascular contractile responses to α_1 - and α_2 -adrenergic and neuropeptide Y receptor stimulation in rats with ischaemic heart failure, 429

Bergström, G., Rudenstam, J., Creutz, J., Göth-Berg, G. & Karlström, G. Renal and haemodynamic effects of nitric oxide blockade in a Wistar assay rat during high pressure crosscirculation of an isolated denervated kidney, 241

BERSTRÖM, G. see RUDENSTAM, J.

Berthon, P., Freyssenet D., Chatard, J.-C., Castells, J., Mujika, I., Geyssant, A., Guezennec, C.-Y., & Denis, C. Mitochondrial ATP production rate in 55 to 73-year-old men: effect of endurance training, 269

BETTO, R. see DANIELI-BETTO, D.

BJERKHOEL, P. & LUNDVALL, J. Pronounced plasma fluid loss into dependent regions on standing, 275 BJERKHOEL, P., LINDGREN, P. & LUNDVALL, J. Protein loss and capillary protein permeability in dependent

regions upon quiet standing, 311 BJERKHOEL, P. see LUNDVALL, J.

BØYUM, A. see WIIK, P.

© 1995 Scandinavian Physiological Society

BOJESEN, I.N. & BOJESEN, E. Arachidonic acid transfer across the human red cell membrane by a specific transport system, 253

BOJESEN, E. see BOJESEN, I.N.

BORGSTRÖM, P. see HANSELL, P.

BOUSKELA, A. see MORITA, Y.

BRÄNNSTRÖM, K. see MORSING, P.

Brunotte, F., Thompson, C.H., Adamopoulos, S., Coats, A., Unitt, J., Lindsay, D., Kaklamanis, L., Radda, G.K. & Rajagopalan, B. Rat skeletal muscle metabolism in experimental heart failure: effects of physical training, 439

CAPITO, K. see THAMS, P.
CARRINGTON, C.A. see HARRIDGE, S.D.R.
CASTELLS, J. see BERTHON, P.
CHATARD, J.-C. see BERTHON, P.
COATS, A. see BRUNOTTE, F.
COUPAR, I.M. see KERR, K.P.
CREUTZ, J. see BERGSTRÖM, G.
CUMMINS, P. see HARRIDGE, S.D.R.

DANIELI-BETTO, D., BETTO, R., MEGIGHIAN, A., MIDRIO, M., SALVIATI, G. & LARSSON, L. Effects of age on sarcoplasmic reticulum properties and histochemical composition of fast- and slow-twitch rat muscles. 59

DENIS, C. see BERTHON, P.

DOWNING, S.E. see Offstad, J., Tønnesson, T. et al.

EDVINSSON, L. see BERGDAHL, A. EKBLOM, B. see BALSOM, P.D. EKELUND, U. see MELLANDER, S. EMÂS, S. see WALLIN, C. ERIKSEN, S. see KOLDERUP, J.

FENG, Q.-P. see BERGDAHL, A.
FONNUM, F. see KOLDERUP, J.
FRANCO-CERECEDA, A. see LISKA, J.
FREDHOLM, B.B. see SVENNINGSSON, P.
FREYSSENET, D. see BERTHON, P.
FRIED, G. Synaptic vesicles and release of transmitters:
new insights at the molecular level, 1

GARDE, K., ROSTRUP, E., TOFT, P., BJERRE & HENRIKSEN, O. Cerebral energy metabolism during hypoxaemia: a ³¹P and ¹H magnetic resonance study, 185

GEYSSANT, A. see BERTHON, P. GOMEZ, M. see NILSSON, B.-O. GOODMAN, M. see HARRIDGE, S.D.R. GÖTHBERG, G. see BERGSTRÖM, G. GÖTHBERG, G. see RUDENSTAM, J. GRUPCEV, G. see WALLIN, C. GUEZENNAC, C.-Y. see BERTHON, P.

HABBLER, B. see WELTE, M.

HACKZELL, M. see KOKKONEN, U.-M.

HANSELL, P., OLOFSSON, M., MAIONE, T.E., ARFORS, K.-E., & BORGSTRÖM, P. Differences in binding of platelet factor 4 to vascular endothelium in vivo and endothelial cells in vitro, 449

HANSEN, S.E. see THAMS, P.

HARALDSSON, G., SÖRENSEN, V., NILSSON, U., PETT-ERSSON, S., RASHID, M., SCHERSTÉN, T., ÅKERLUND, S. & JONSSON, O. Effect of pretreatment with desferioxamine and mannitol on radical production and kidney function after is

HARDEBO, J.E. see MORITA, Y.

HARRIDGE, S.D.R., WHITE, M.J., CARRINGTON, C.A., GOODMAN, M. & CUMMINS, P. Electrically evoked torque-velocity characteristics and isomyosin composition of the triceps surae in young and elderly men, 469

HAUG, E. see KOLDERUP, J.

HAUGEN, A.-H. see WIIK, P.

HAYASHI, H. see ITOH, K.

HAYASHIDA, Y. see TAKACHI, T.

HEDESKOV, C.J. see THAMS, P.

HEDNER, T. see BERGDAHL, A.

HELLSTRAND, P. see NILSSON, B.-O.

HELLSTRÖM, P.M., see WALLIN, C.

HENRIKSEN, O. see GARDE, K.

HESSEVIK, I. see HEXEBERG, E.

HEXEBERG, E., WESTBY, J., HESSEVIK, I. & HEXEBERG, S. Effects of endurance training on left ventrical performance. A study in anaesthetized rabbits, 479

HEXEBERG, S. see HEXEBERG, E.

HILAKIVI, I. & TAIRA, T. Strain difference in early postnatal sleep-wake behaviour between Alko Alcohol and Wistar Rats, 75

HIROFUJI, C. see ITOH, K.

HOLM, L. see SABABI, M.

HOLM, P. see LISKA, J.

ILEBEKK, A. see Offstad, J.

ISHIHARA, A. see ITOH, K.

ITOH, K., ITOH, M., ISHIHARA, A., HIROFUJI, C., & HAYASHI, H. Influence of 12 weeks of hypobaric hypoxia on fibre type composition of the rat soleus muscle, 417

Ітон, М. see Ітон, К.

JÄÄSKELÄINEN, S.K. Electrophysiological study of blink reflex in humans: differences in mental and supraorbital nerves, 143

JOHANNSSON, B. see Svenningsson, P.

JONSSON, O. see HARALDSSON, G.

KAKLAMANIS, L. see BRUNOTTE, F.

KANERVO, A. see ARJAMAA, O.

KARLSTRÖM, G. see BERGSTRÖM, G.

KARLSTRÖM, G. see RUDENSTAM, J.

KERR, K.P., MITCHELSON, F. & COUPAR, I.M. Vagal nerve stimulation of the guinea-pig oesophagus, 213

KIRKEBØEN, K.A. see OFFSTAD, J.

KLAUSEN, K. see AAGAARD, P.

KLEEN, M. see WELTE, M. KNARDAHL, S. see WIIK, P.

KOKKONEN, U.-M., HACKZELL, M. & RÄSÄNEN, L.A. Plasma atrial natriuretic peptide in Standardbred and Finnhorse trotters during and after exercise, 51

KOLDERUP, J., MELDAHL, A.-S., ERIKSEN, S., HAUG, E., FONNUM, F. & SAND, O. Toxin of the marine alga *Prymnesium patelliferum* enhances voltage dependent Ca²⁺-currents, elevates the cytosolic Ca²⁺-concentration and facilitates hormone release in clonal rat pituitary cells, 321

KORPI, E.R. see WAGELIUS, K.

KUPENOVA, P. see POPOVA, E.

LANDGREN, S. & SELSTAM, G. Interaction between 17β -oestradiol and 3α -hydroxy- 5α -pregnane-20-one in the control of neuronal excitability in slices from the CA1 hippocampus *in vitro* of guinea-pigs and rats, 165

LARSSON, L. see DANIELI-BETTO, D.

LEPPÄLUOTO, J. see ARJAMAA, O.

LINDGREN, P. see BJERKHOEL, P.

LINDSAY, D. see BRUNOTTE, F.
LISKA, J., HOLM, P., ÖWALL, A. & FRANCO-CERECEDA,
A. Endothelin infusion reduces hypoxic pulmonary hypertension in pigs in vivo, 489

LUNDEBERG, T. see TÖRKVIST, L.

LUNDVALL, J. & BJERKHOEL, P. Pronounced and rapid plasma volume reduction upon quiet standing as revealed by a novel approach to the determination of the intravascular volume change, 131

LUNDVALL, J. see BJERKHOEL, P.

MAEDA, M. see TAKACHI, T.

MAOINE, T.E. see HANSELL, P.

MARTINUSSEN H.J., WALDENSTRÖM, A. & RONQUIST, G. Erratum, 277

MEGIGHIAN, A. see DANIELI-BETTO, D.

MELDAHL, A.-S. see KOLDERUP, J.

MELLANDER, A., ABRAHAMSSON, H. & SJÖVALL, H. The migrating motor complex – the motor component of a cholinergic enteric secretomotor programme?, 329

MELLANDER, S. & EKELUND, U. Evidence of a role for endothelium-derived nitric oxide in the regulation of vascular tone during acute haemorrhage, 419

MESSMER, K. see WELTE, M.

METSÄLÄ, T., SIMES, A. & VÄLIMÄKI, I. The effect of change in sympatho-vagal balance on the heart rate and blood pressure variability in the foetal lamb, 85 MIDRIO, M. see DANIELI-BETTO, D.

MITCHELSON, F. see KERR, K.P.

MITOVA, L. see POPOVA, E.

MIZUSAWA, H. see OMOTE, M.

MORANO, I., ÖSTERMAN, Å. & ARNER, A. Rate of active tension development from rigor in skinned atrial and ventricular cardiac fibres from swine following photolytic release of ATP from caged ATP, 343

MORITA, Y., HARDEBO, J.E. & BOUSKELA, A. Influence of cerebrovascular sympathetic, parasympathetic and sensory nerves on autoregulation and spontaneous vasomotion, 121

MORSING, P., BRÄNNSTRÖM, K., PERSSON, A.E.G., SALOMONSSON, M. & THORUP, C. A new method for exchange of perfusion fluid during *in vivo* micropuncture, 235

MUJIKA, I. see BERTHON, P.

NAESS, P.A see Offstad, J.

NAKAO, S. see SHIRAISHI, Y.

NILSSON, B.-O., GOMEZ, M., SANTIAGO CARRILHO, R., NORDSTRÖM, I & HELLSTRAND, P. Differential actions of exogenous and intracellular spermine on contractile activity in smooth muscle of rat portal vein, 355

NILSSON, I. see ASSARSSON, B.

NILSSON, U. see HARALDSSON, G.

NORDSTRÖM, I. see NILSSON, B.-O.

OFFSTAD, J., NAESS, P.A., AKSNES, G., TØNNESSEN, T., ILEBEKK, A. & KIRKEBØEN, K.A. Nitric oxide regulates coronary blood flow at various coronary arterial pressures in intact porcine hearts, 93

OFFSTAD, J., TØNNESSEN, T., KIRKEBØEN, K.A., ILEBEKK, A. & DOWNING, S.E. Modulation of systolic and diastolic function by endothelin-1: relation to coronary flow, 103

OLOFSSON, M. see HANSELL, P.

Омоте, M. & Mizusawa, H. Endothelium-dependent rhythmic contractions induced by cyclopiazonic acid, a sarcoplasmic reticulum Ca²⁺-pump inhibitor, in the rabbit femoral artery, 113

O'NEILL, M., RYAN, D.M. & PATERSON, D.J. Effect of verapamil on restoration of cardiac performance in raised [K⁺]_o by adrenergic stimulation in the rabbit, 367

Opstad, P.K. see Wiik, P. Österman, Å. see Morano, I. Ottosson, A. see Bergdahl, A. Öwall, A. see Liska, J.

PANTEV, E. see BERGDAHL, A. PARKKILA, A.-K. see PARKKILA, S.

PARKKILA, S., PARKKILA, A.-K. & RAJANIEMI, H. Circadian periodicity in salivary carbonic anhydrase VI concentration, 205

PATERSON, D.J. see O'NEILL, M. PERSSON, A.E.G. see MORSING, P.

PETTERSSON, S. see HARALDSSON, G.

POPOVA, E., KUPENOVA, P., VITANOVA, L. & MITOVA, L. ERG OFF response in frog retina: light adaptation and effect of 2-amino-4-phosphonobutyrate, 377

RADDA, G.K. see BRUNOTTE, F.

RAJAGOPALAN, B. see BRUNOTTE, F.

RAJANIEMI, H. see PARKKILA, S.

RÄSÄNEN, L.A. see KOKKONEN, U.-M. RASHID, M. see HARALDSSON, G.

RAUD, J. see TÖRKVIST, L.

RONQUIST, G. see MARTINUSSEN, H.J.

ROSTRUP, E. see GARDE, K.

RUDENSTAM, J., BERGSTRÖM, G., TAGHIPOUR, K., GÖTHBERG, G. & KARLSTRÖM, G. Efferent renal sympathetic nerve stimulation in vivo. Effects on regional renal haemodynamics in the Wistar rat, studied by laser-Doppler technique, 387

RUDENSTAM, J. see BERGSTRÖM, G.

RYAN, D.M. see O'NEILL, M.

SABABI, M. & HOLM, L. Villus tip microcirculation in the rat duodenum, 221

SALOMONSSON, M. see Morsing, P.

SALTIN, B. see SAVARD, G.K.

SALVIATI, G. see DANIELI-BETTO, D.

SAND, O. see KOLDERUP, J.

SANTIAGO CARRILHO, R. see NILSSON, B.-O.

SAVARD, G.K., ARESKOG, N.-H. & SALTIN, B. Cardiovascular response to exercise in man following acclimatization to extreme altitude, 499

SCHERSTÉN, T. see HARALDSSON, G.

SELSTAM, G. see ASSARSSON, B.

SELSTAM, G. see LANDGREN, S.

SHIRAISHI, Y. & NAKAO, S. Differential locations in the midbrain of distinct groups of vertical eye movement-related neurones in cat: their projections and direct connections with oculomotor neurones, 151

SHIRAKUSA, T. see TAKACHI, T.

SIMES, A. see METSÄLÄ, T.

SIMONSSEN, E.B. see AAGAARD, P.

SJÖDIN, B. see BALSOM, P.D.

SJÖVALL, H. see MELLANDER, A.

SKREDE, K.K. see WIIK, P.

SÖDERLUND, K. see BALSOM, P.D.

SÖRENSEN, V. see HARALDSSON, G.

SUN, X .- Y. see BERGDAHL, A.

SVENNINGSSON, P., JOHANSSON, B. & FREDHOLM, B.B. Effect of different xanthines and phosphodiesterase inhibitors on c-fos expression in rat striatum, 17

TAGHIPOUR, K. see RUDENSTAM, J.

TAIRA, T. see HILAKIVI, I.

TAKACHI, T., MAEDA, M., SHIRAKUSA, T. & HAYA-SHIDA, Y. Sympathetic reinnervation of unilaterally denervated rat lung, 43

- TASKINEN, T. see ARJAMAA, O.
- THAMS, P., HANSEN, S.E., CAPITO, K. & HEDESKOV, C.J. Role of gluscose metabolism and phosphoinositide hydrolysis in glucose-induced sensitization/desensitization of insulin secretion from mouse pancreatic islets, 65
- THEODORSSON, E. see WALLIN, C.
- THOMPSON, C.H. see BRUNOTTE, F.
- THORUP, C. see Morsing, P.
- TØNNESSEN, T. see Offstad, J. Toft, P. Bjerre see Garde, K.
- TÖRKVIST, L., ÅDEN, U., LUNDEBERG, T. & RAUD, J. Inhibition of leucotriene-synthesis improves dorsal skin flap survival in the rat, 511
- TROLLE, M. see AAGAARD, P.
- UNITT, J. see BRUNOTTE, F.
- Valdesmarsson, S. see Bergdahl, A. Välimäki, I. see Metsälä, T.
- VITANOVA, L. see POPOVA, E.
- VUOLTEENAHO, O. see ARJAMAA, O.
- WALDENSTRÖM, A. see MARTINUSSEN, H.J.

- WALLIN, C., GRUPCEV, G., EMÅS, S., THEODORSSON, E. & HELLSTRÖM, P.M. Release of somatostatin, neurotensin and vasoactive intestinal peptide upon inhibition of gastric acid by duodenal acid and
- hyperosmolal solutions in the conscious rat, 193
 WEGELIUS, K. & KORPI, E.R. Ethanol inhibits
 NMDA-induced toxicity and trophism in cultured
 cerebellar granule cells, 25
- Welte, M., Zwissler, B., Habler, O., Kleen, M. & Messmer, K. Prostacyclin aerosol and inhaled nitric oxide fail to reverse pulmonary vasoconstriction induced by thromboxane analogue in dogs, 395
- WESTBY, J. see HEXEBERG, E.
- WHITE, M.J. see HARRIDGE, S.D.R.
- WIESER, W. Energetics of fish larvae, the smallest verbebrates, 279
- WIIK, P., SKREDE, K.K., KNARDAHL, S., HAUGEN, A.-H., AERØ, C.E., OPSTAD, P.K. & BØYUM, A. Effect of *in vivo* corticosterone and acute food deprivation on rat resident peritoneal cell chemiluminescence after activation *ex vivo*, 407
- ZWISSLER, B. see WELTE, M.

Subject index

Acid, 193 **ACTH, 407** Adrenalectomy, 407 Aerobic and anaerobic energy metabolism, 279 Afferents, 213 Age, 469 Ageing, 59, 269, 291 Alkaline secretion, 221 Allopregnanolone, 165 Amino acid metabolism, 269 Amylase, 205 ANP, 51 ANP mRNA, 35 APB, 377 Arachidonic acid, 253 Artery, 449 Atrial natriuretic peptide, 35, 51 Atropine, 329 Automatic cardiac control, 85

Biliary secretion, 329 Blink-reflex, 143 Blood pressure, 499 Brattleboro rats, 35

Autoregulation, 121

Caffeine, 17, 59
Caged ATP, 343
Calcium, 355
Ca²⁺, 321
Ca²⁺ channels, 113, 321
⁴⁹Ca²⁺ influx, 25
Ca²⁺ pump, 113
Capillaries, 221
Capillary protein permeability, 311
Carbohydrate metabolism, 269
Carbonic anhydrase, 205
Cardiac, 367

Cat, 151
Catamenial epilepsy, 165
Cerebellar granule cells, 25
Cerebral blood flow, 121
Cheek pouch, 449
Chemiluminescence, 407
Chloride secretion, 329
Circulatory stress, 131
Compensatory strategies of metabolism, 279
Congestive heart failure, 429
Contraction, 469

Coronary blood flow, 93 Coronary vascular resistance, 103

Corpus luteum, 177 Cranial nerves, 121

© 1995 Scandinavian Physiological Society

Creatine, 303 Creatine phosphate, 303 Cross-bridge kinetics, 343 Cross-circulation, 241 Cyclic AMP, 17 Cyclopiazonic acid, 113

Desferrioxamine, 461 Development, 75 Diastolic stiffness, 103 Duodenum, 329

Efflux kinetics, 253
Endothelin, 489
Endothelin-1, 103
Endothelium, 113
Endothelium-derived relaxing factor, 93
Endurance training, 269, 479
Enteric nerves, 329
Epidermal growth factor receptor, 177
ERG, 377
Erythrocyte ghost, 253
ESR, 461
Ethanol, 25
Exercise, 51
Exocytosis, 1

Fat metabolism, 269
Fatty acid transport, 253
Fibre type composition, 417
Finnhorse, 51
Fluid absorption, 131
Fluid balance, 35
Fluid filtration, 131
Foetal lamb, 85
Follicle, 177
Forel's field H, 151
c-fos, 17
Fura-2, 321

Glomerular filtration rate, 241 Glucocorticoid, 407 Glucose metabolism, 65 Glycine, 25 Glycolysis, 303 cGMP, 277 Gravity correction, 421 Growth, 279 Guinea-pig, 213

Haemoconcentration, 131, 311 Haemoglobin, 131 Hamster, 449 Heart failure, 439 Heart myosin isoenzymes, 343 Heart rate, 51, 499 Heart rate variability, 85 Heparin, 449 Hibernation, 103 High-intensity exercise, 303 Hilar stripping, 43 Hippocampus, 165 Histochemistry, 417 H/Q strength ratio, 421 Human, 303 Human cerebral energy metabolism, 185 Human skeletal muscle, 269 Hydrostatic load, 131 Hyperventilation, 185 Hypobaric hypoxia, 417 Hypoxaemia, 185 Hypoxia, 489

Immobilization, 291
In situ hybridization, 17
In vivo, 419
Insulin secretion, 65
Intestinal motility, 329
Intestinal transport, 329
Isoenzymes, 205
Isokinetics, 421
Isolated heart system, 103
Isoproterenol, 277

Kidney function, 461 Kinin, 387 Knee joint stability, 421 K⁺ channels, 113

L-NAME, 419
Lactate, 499
Lactotrophs, 321
Laser-Doppler, 387
Laser-Doppler flowmetry F, 221
Leucotrienes, 511
Light adaptation, 377
Low-flow ischaemia, 93
Lung, 43, 489

Macrophage, 407
Mannitol, 461
Medial mesodiencephalic junction, 151
Medium-lead burst neurone, 151
Medullipin, 241, 387
Mental-nerve, 143
Metabolic scaling, 279
Metabolism, 303
Microcirculation, 419
Micropuncture, 235
Mitochondrial ATP production rate, 269
Mitochondrial density and capacity, 279

MK-801, 25
Monocyte, 407
MR-spectroscopy, 185
Muscle, 469
Muscle development, 279
Muscle fibre atrophy, 291
Muscle fibre transition, 291
Muscle lactate, 303
Myocardial contraction, 479
Myosin, 469
Myosin light chain phosphorylation, 343

Neonatal, 75
Neuropeptide Y receptor, 429
Neurotoxicity, 25
Neurotransmission, 1
Neurotrophism, 25
Nitric oxide, 93, 241, 395
NG-nitro-L-arginine, 93
NMDA receptors, 25
Noradrenaline, 43
NOS inhibitor, 419

Oculomotor nucleus, 151 Oedema, 131 Oesophagus, 213 Oestradiol, 165 Orthostatic reactions, 131 OXANOH, 461 Oxygen content, 279 Oxygen debt, 279 Oxygen radicals, 461

Pancreatic islets, 65 Pancreatic secretion, 329 Parasympathetic nerves, 121 Parasympathetic nervous system, 499 PCr/P₁-ratio, 185 Pentagastrin, 193 Peptides, 193 Performance, 303 PF4, 449 Phenylephrine, 355 Phosphodiesterase, 17 Phosphoinositide hydrolysis, 65 pH₁, 185 Physical training, 439 Pig, 489 Pituitary cells, 321 Plasma protein loss, 311 Plasma volume, 131 Plasma volume loss, 311 ³¹P magnetic resonance spectroscopy, 439 Polyamines, 355 Polyethylene glycol, 193 Portal vein, 355 Postjunctional α-adrenoceptors, 429 Potassium, 367

Pressure-flow relationship, 395 Pressure-natriuresis, 241 Prolactin, 321 Prostacyclin, 395 Prostaglandin, 387 Prymnesium patelliferum, 321 Pulmonary circulation, 395 Pulmonary hypertension, 489

Rabbit kidney, 461 Radionuclide-labelled microspheres, 479 Rat, 43, 177, 277, 511 kidney, 241, 387 muscle, 417 skeletal muscle, 59, 439 Rat strain, 75 Receptor desensitization, 429 Red cell velocity, 221 Reflex-habituation, 143 Renal blood flow, 241, 387 Renal medulla, 241, 387 Renal nerves, 387 Renal papilla, 387 Resistance arteries, 419 Respiratory burst, 407 Retrograde perfusion, 235 Rhythmic contractions, 113 mRNA, 177

Sacroplasmic reticulum, 59, 113
Saliva, 205
Secretion, 193
Sensitization/desensitization, 65
Sensory nerves, 121
Sex, 75
Sexual cycle, 165
Skeletal muscle metabolism, 439
Sleep stages, 75
Sleep-wake behaviour, 75
Smooth muscle, 355

Soleus, 291 Soleus muscle, 417 Solution hybridization, 177 Sonomicrometry, 479 Spectral analysis, 85 Spermine, 355 Spin trap, 461 Spontaneous arteriolar vasomotion, 121 Standardbred horse, 51 Standing, 131, 311 Static charge sensitive mattress, 75 Supraorbital-nerve, 143 Surgical flaps, 511 Sympathetic innervation, 43 Sympathetic nerves, 121 Sympathetic nervous system, 387, 499 Sympatho-vagal balance, 85 Synaptic vesicles, 1 Systolic function, 103

Temperature, 279 Transmittor release, 1 Trigeminal-nerve, 143 Tubuloglomerular feedback, 235

Umbilical cord, 449 Unstirred layer, 253

Vagus, 213
Vascular smooth muscle, 113
Vasculature, 449
Vasodilation, 419
Verapamil, 367
Vertical saccade, 151
Vesicle proteins, 1
Villi, 221
Voltage-clamp, 321

Xanthines, 17